




# RADISTAR CORP.

整合股份有限公司

CREATING INNOVATIVE SOLUTIONS  
FOR THE CHALLENGES & OPPORTUNITIES YOU FACE!




19-inch Cabinets



19-inch Wall Mount  
Cabinets



Instrument Cases



Videoconference  
apparatus Holding  
Cabinet

- Communication
- Electronic Control System
- Internet/ Intranet Database System
- Lab Equipment
- Medical Equipment
- PA Broadcast System
- Hi-Fi Control / AV System
- Gateway Monitoring Equipment



# RADISTAR CORP.

整合股份有限公司

CREATING INNOVATIVE SOLUTIONS  
FOR THE CHALLENGES & OPPORTUNITIES YOU FACE!

## RS Series

### Rack-mounted Multi-function Instrument Case

Model:RS-5U-560

#### Key Features:

- \* Easy assembly & disassembly construction & bolted design
- \* Multiple choice of fixed front panel, hinged front door w/o PCB brackets or hinged front door w/PCB brackets
- \* Side panels, ventilated
- \* Suitable for desk top or rack mountable
- \* Includes top, bottom, sides, clip ears into face plate & handles.

#### Materials:

Aluminum

#### Finish:

Rugged Black Coating

#### Applications Included:

ISP / ASP Web Server  
E-Mail, News or DNS Server  
Internet Cache Server  
Gateway Monitoring Unit  
Test & Measurement Station


#### Standard Accessories:

Rackmounting Bracket  
Fixed Front Panel  
Rear Panel  
Top Cover  
Base Plate  
Side Vent Panels  
Bottom Cover

#### Optional Accessories:


- \* Hinged Front Door
- \* Custom Dimensions
- \* Additional Colours





### PARTS LIST

ITEM NO	DESCRIPTION	QTY
1	Rackmounting Bracket	1
2	Fixed Front Panel	1
3	Rear Panel	1
4	Bottom Cover	1
5	Top Cover & Base Plate	2
6	Side Vent Panels	2



### Rack-mounted Multi-function Instrument Case (RS Series)

Product Code	Dimensions						
	U	H1(mm)	H0(mm)	W1(mm)	W0(mm)	D1(mm)	D0(mm)
RS-2U	2U	54	88	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm
RS-3U	3U	99	133	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm
RS-4U	4U	143	177	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm
RS-5U	5U	188	222	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm
RS-6U	6U	232	266	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm
RS-7U	7U	277	311	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm
RS-8U	8U	321	355	402	431	238, 338, 438 or 538mm	260, 360, 460 or 560mm

\* Customization is available.